

ATREELINE SUNSHADE CANOPY SYSTEMS




TREELINE Sunshade Louvers are some of the most versatile aluminum sunshade options available on the market. The passive sun control products can be used to manage the impact of solar gain on any building and integrate seamlessly with the design elements desired. The custom options deliver the most flexibility in the field to meet the aesthetics and budget required. Louvered types and sizes include airfoil blade, shutter blade, aluminum bar and tube, half tube or round. We offer a true custom design and turnkey solution to general contractors all over the U.S.

CANOPY HIGHLIGHTS

FULLY WELDED 360 FRAMES AND FASCIA OPTIONS
ALL EXTRUDED ALUMINUM
CUSTOM DESIGN AND ENGINEERING AVAILABLE
PROFESSIONAL DESIGN, COLOR AND FINISHES
TURNKEY SOLUTIONS FOR MANUFACTURING AND INSTALLATION
MAINTENANCE AND RUST FREE

TECHNICAL DATA


Fascia .125"
Extruded Louvers range from .125" to .025"
Deflection Rating L/180
Maximum Projection:
10' with hanger rod supports
5' with cantilever supports




TREELINE SUNSHADE CANOPY SYSTEMS

LOUVER OPTIONS All-extruded Aluminum (T6-6063)






Z Louver Blade





Airfoil Louver Blade



Tube Louver Blade









ROUND, CURVED, BULL NOSE OPTIONS






OUTRIGGERS (Other Options Available)




MOUNTING OPTIONS





BRICK/BLOCK WITH THRU BOLTS
AND COMPRESSION SLEEVES

METAL BUILDING



FINISH DETAILS

FINISH	DESCRIPTION	WARRANTY	SPECIFICATIONS	APPLICATION
Tiger Drylac Standard RAL	Standard RAL	1 year	Meets AAMA 2603 specifications	Factory applied
Superdurable Tiger Drylac2 Coat	Super Durable RAL Fishishes	10 year	70% Fluoropolymer meets AAMA 2605 specifications	Professionally applied by approved finisher
Belbien or Reatec	Architectural Film	5 year	See finish details	Professionally applied by approved finisher